



Spring M700

Overview

Chip

M730

EPC

128bits

USER

Null

Antenna Dimensions 42*16mm


Frequency Band 860MHz-960MHz

International Standard EPCglobal C1 Gen2 and ISO18000-6C


Industry Segments Apparel

Applications

Store Inventory



CTU44901-483 uses Impinj M730 chip. The antenna has been optimized and has good performance in the full frequency band (860-960 MHz). Through the test of the attached object scenario, the tag is suitable for various RFID tag applications, especially in clothing inventory management, logistics and other related fields.



Contact

Email sales@xindecoiot.com Web www.xindecoiot.com





Address

Building No. 6, Xindeco Industrial Park, No. 2-16 Hongxi South Road, Xiangan District, Xiamen, 361101, China

Lot 28, Jalan Permata 1/1, Arab Malaysia Industrial Park, 71800 Nilai, Negeri Sembilan





Technical features

	Dry	Wet	Paper-face
Product Code	CTU44901-483	CTU44901-483W	CTU44901-483L
Antenna Size	42*16mm	42*16mm	42*16mm
	1.65*0.63in	1.65*0.63in	1.65*0.63in
Finish Size	-	45*19mm	45*19mm
	-	1.77*0.75in	1.77*0.75in
Web Width	48mm	48mm	48mm
	1.89in	1.89in	1.89in
Pitch	20mm	20mm	20mm
	0.79in	0.79in	0.79in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	PET Clear/PET White/Paper	Paper
Inlay Substrate	PET Clear/PET White/Paper	PET Clear/PET White/Paper	PET Clear/Paper
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperrature	-20℃/50℃ -4°F/+122°F	-20℃/50℃ -4°F/+122°F	-20℃/50℃ -4°F/+122°F
Shelf Life Time	@20% to 80% RH	@20% to 80% RH	@20% to 80% RH
	2/2/1 years @+25°C/40%RH	1 years @+25℃/40%RH	1 years @+25℃/40%RH
Final Insperction	100% tested	100% tested	100% tested

