

SpeedMax U9

Overview

Chip

UCODE 9 (U9)

EPC

96bits

USER

Null

Antenna Dimensions

70*8mm

Frequency Band

860MHz-960MHz

International Standard

EPCglobal C1 Gen2 and ISO18000-6C

Industry Segments


Apparel and Logistic

Applications

Product Management or Package Tracking



By leveraging the capabilities of the NXP U9 chip, SpeedMax U9 reduces the traditional 70*14mm size by half in antenna design and marginalizes the chip, making it more suitable for various flexible needs including inventory and logistics, clothing and daily necessities management.



Address

Building No. 6, Xindeco Industrial Park, No. 2-16 Hongxi South Road, Xiang'an District, Xiamen, 361101, China

Lot 28, Jalan Permata 1/1, Arab Malaysia Industrial Park, 71800 Nilai, Negeri Sembilan

Contact

Email sales@xindecoiot.com

Web www.xindecoiot.com



Technical features

	Dry	Wet	Paper-face
Product Code	CTU35701-485D	CTU35701-485W	CTU35701-485L
Antenna Size	70*8mm 2.76*0.31in	70*8mm 2.76*0.31in	70*8mm 2.76*0.31in
Finish Size	- -	73*11mm 2.87*0.43in	73*11mm 2.87*0.43in
Web Width	85mm 3.35in	79mm 3.11in	79mm 3.11in
Pitch	20mm 0.79in	20mm 0.79in	20mm 0.79in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	PET Clear/PET White/Paper	Paper
Inlay Substrate	PET Clear/PET White/Paper	PET Clear/PET White/Paper	PET Clear/Paper
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperature	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F
Shelf Life Time	@20% to 80% RH 2/2/1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH
Inlays/Roll	22000pcs	27000pcs	5000pcs
Rolls/Box	4	3	4

Technical features

	Dry	Wet	Paper-face
Inlays/Box	88000pcs	81000pcs	20000pcs
Box Size	240*240*365mm 9.45*9.45*14.37in	290*290*365mm 11.42*11.42*14.37in	360*360*285mm 14.17*14.17*11.22in
Box Gross Weight	14kg	16kg	6kg
Final Inspection	100% tested	100% tested	100% tested