

Balance M800

Overview

Chip

Impinj M830

EPC

128bits

USER

Null

Antenna Dimensions

44*20mm

Frequency Band

860MHz-960MHz

International Standard


ISO/IEC 18000-63:2015 and EPCglobal Gen2v2

Industry Segments



Apparel

Applications

Store Inventory



Balance M800 is equipped with Impinj M830 series chip and has 128-bit EPC memory. Its size of 44*20mm is between 42*16 and 50*30mm, providing users with a more balanced choice of performance and size. It is suitable for various RFID tag applications, including supply chain, inventory and logistics, clothing and daily necessities.



Address

Building No. 6, Xindec Industrial Park, No. 2-16 Hongxi South Road, Xiang'an District, Xiamen, 361101, China

Lot 28, Jalan Permata 1/1, Arab Malaysia Industrial Park, 71800 Nilai, Negeri Sembilan

Contact

Email sales@xindecot.com

Web www.xindecot.com



Technical features

	Dry	Wet	Paper-face
Product Code	CTU50501-519D	CTU50501-519W	CTU50501-519L
Antenna Size	44*20mm 1.73*0.79in	44*20mm 1.73*0.79in	44*20mm 1.73*0.79in
Finish Size	- -	47*23mm 1.85*0.91in	47*23mm 1.85*0.91in
Web Width	56mm 2.20in	53mm 2.09in	53mm 2.09in
Pitch	25.4mm 1.00in	25.4mm 1.00in	25.4mm 1.00in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	PET Clear/PET White/Paper	Paper
Inlay Substrate	PET Clear/PET White/Paper	PET Clear/PET White/Paper	PET Clear/Paper
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperature	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F
Shelf Life Time	@20% to 80% RH 2/2/1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH
Inlays/Roll	17000pcs	21000pcs	4500pcs
Rolls/Box	5	5	6

Technical features

	Dry	Wet	Paper-face
Inlays/Box	85000pcs	105000pcs	27000pcs
Box Size	240*240*365mm 9.45*9.45*14.37in	290*290*365mm 11.42*11.42*14.37in	360*360*285mm 14.17*14.17*11.22in
Box Gross Weight	14kg	24kg	8.5kg
Final Inspection	100% tested	100% tested	100% tested