

VersaMax

Overview

Chip

M830

EPC

128bits

USER

0bits

Antenna Dimensions

70*14 mm

Frequency Band

902MHz-928 MHz

International Standard


EPCglobal C1 Gen2 and ISO18000-63

Industry Segments



Retail

Applications

Store Inventory



The VersaMax is designed to address critical pain points in the RFID industry. It offers exceptional bulk-reading capabilities for densely stacked, thin apparel. Its unique antenna design provides robust adaptability in both metallic and liquid environments, guaranteeing the highest levels of inventory counting accuracy.



Address

Building No. 6, Xindeco Industrial Park, No. 2-16 Hongxi South Road, Xiang'an District, Xiamen, 361101, China

Lot 28, Jalan Permata 1/1, Arab Malaysia Industrial Park, 71800 Nilai, Negeri Sembilan

Contact

Email sales@xindecoiot.com

Web www.xindecoiot.com



Technical features

	Dry	Wet	Paper-face
Product Code	CTU54901-519D	CTU54901-519W	CTU54901-519L
Antenna Size	70*14mm 2.755*0.551in	70*14mm 2.755*0.551in	70*14mm 2.755*0.551in
Finish Size	- -	73*17mm 2.874*0.669in	73*17mm 2.874*0.669in
Web Width	85mm 3.346in	79mm 3.110in	79mm 3.110in
Pitch	22.225mm 0.875in	22.225mm 0.875in	22.225mm 0.875in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	PET Clear/PET White/Paper	Paper/PET
Inlay Substrate	PET Clear/PET White/Paper	PET Clear/PET White/Paper	PET Clear/Paper
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperature	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F	-20°C/50°C -4°F/+122°F
Shelf Life Time	@20% to 80% RH 2/2/1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH	@20% to 80% RH 1 years @+25°C/40%RH
Inlays/Roll	20000pcs	24000pcs	5000pcs
Rolls/Box	4	3	4